
# Timelines for Completing the STAR Baseline Physics Program

"Guesstrapolation" by John Harris

#### **Acknowledgements:**


- L. Bland, H. Caines, J. Cramer, G. Eppley,
- T. Hallman, P. Jacobs, P. Jones, S. Klein, M. Lisa,
- T. Ljubicic, J. Marx, M. Messer, R. Snellings,
- T. Trainor, T. Ullrich, F. Wang




**QCD at RHIC:** 

Workshop on Heavy Ion Physics for the Next Decade BNL, 27 - 28 October 2000







Brazil: Sao Paolo China: IHEP - Beijing, IPP - Wuhan

England: Birmingham France: IReS - Strasbourg, SUBATECH-Nantes

Germany: Frankfurt, MPI - Munich Poland: Warsaw University, Warsaw U. of Technology


Russia: MEPHI - Moscow, JINR - Dubna, IHEP - Protvino

U.S.: Argonne, Berkeley, and Brookhaven National Laboratories


Arkansas, UC Berkeley, UC Davis, UCLA, Creighton, Carnegie-Mellon, Indiana, Kent State, MSU, CCNY, Ohio State, Penn State, Purdue, Rice, Texas, Texas A&M, Washington, Wayne,

**Yale Universities** 

# STAR TPC Performance: Au +Au at $\ddot{0}$ s<sub>NN</sub> = 130 GeV



colors ~ momentum: low - - - high





## STAR Data from Summer 2000 Run:

2.0 M total trigger events taken

844 K central (~ 15% of geometrical cross section) 331 K good (5%) central for physics analysis 458 K good min bias events for physics analysis

# Expected STAR Physics this Year

• dN/dh for charged particles (|h| £ ~1.5)

• dN/dy for p, K, p (-1 £ y £ 1)

• p<sub>t</sub> spectra for identified particles

(to p,  $\sim$  3 GeV/c with RICH for p, K, p)

• High p, spectra for charged particles

• **K/**p

 $(-1 \, \text{fv} \, \text{fl})$ 

• Neutral particle decays Kos, r, f, K\*, L, X

•  $\bar{p}$  / p,  $\bar{L}$  / L (-1 £ y £ 1)

Particle correlations (HBT)

Event-by-event correlations (K/p , <p,>, SCA,...)

• Elliptic (v<sub>2</sub>) flow

Light nuclear and anti-nuclear yields/spectra

particle density, entropy

chemistry, stopping

temperature, radial flow

parton energy loss

strangeness production

stopping

geometry, collective flow

non-statistical fluctuations


early dynamics, pressure, EOS




1st year detectors (now)

2<sup>nd</sup> year detectors


year-by-year implementation until 2003 installation in 2003














# STAR Detector (year-by-year)

1st year detectors (now)

2<sup>nd</sup> year detectors

year-by-year implementation thru 2003

installation in 2002-2003





#### **STAR Installation for 2001 Run**

- Silicon Vertex Tracker
- Barrel Electromagnetic Calorimeter modules (total 24 of 120)
- Level 1,2, 3 Processing
- 2 Forward Time Projection Chambers
- Time-of-Flight Patch

### STAR Installation for 2002 Run

- Barrel Electromagnetic Calorimeter modules (total 56 of 120)
- Data Rate Increase

#### **STAR Installation for 2003 Run**

- Barrel Electromagnetic Calorimeter modules (total 88 of 120)
- Endcap Electromagnetic Calorimeter (lower half installed)
- Photon Multiplicity Detector
- Time-of-Flight Barrel (25% of barrel)

### **STAR Installation for 2004 Run**

- Barrel Electromagnetic Calorimeter modules (complete 120 of 120)
- Endcap Electromagnetic Calorimeter (complete)
- Time-of-Flight Barrel (75% of barrel, completed for 2005)

# Overview of STAR Physics Program 2001 - 2005

## RHI Physics (AA plus reference data using pp, pA)

## Soft (p, < 2 GeV/c) Physics (2000 - 2004)

- identified particle spectra (p, K, p, anti-particles, strange particles, resonances)
- light anti-nuclei yields
- flow
- particle correlations
- multiply-strange baryon (X, W) spectra
- transverse energy production
- event-by-event fluctuations (inc: charge, DCC, p, , ...; P, CP violations)
- studies of event classes

## High p, Physics (2000 - 2005)

- parton energy loss
  - charged single particles
  - identified particles (inc. p°) to ~ 5 GeV/c
- high p<sub>t</sub> particle correlations, photons, jets\*

## "electrons" (2003 ®)

- f ® e+e-
- J/y ® e+e-

## pA physics (2003 ®)

- nuclear structure functions/shadowing (g-jet)
- jets, direct photons
- J/v ® e+e-

## **Photon/Pomeron Physics (ultra-peripheral AA)**

Two-photon and photon-pomeron physics (2000 - 2003)

- states with mass < 2 GeV (2-prong final states)</li>
- multiple vector meson production (4-prong final states)
- J/y ® e+e-

## Higher mass states (2003 ®)

- electron decays of higher charm states
- final states containing photons
- particle identification to identify higher mass strange and charm decays
- trigger on semi-leptonic decays of charm states
- .
- •

# Overview of STAR Physics Program 2001 - 2005

```
Spin physics (2001 ® 2005)
```

- **2001** ® A<sub>N</sub> (with transverse spin)
- 2002 ® DG(x) from A<sub>11</sub> from inclusive jet and dijet production
- 2003 ® DG(x) from A<sub>II</sub> from direct photons
  - DG(x) and Dq(x) from dijet production
  - Higher energy tests of parity-violating asymmetries in W production
- **2004** ® **A**<sub>II</sub> from g-jet coincidences
  - **A<sub>LL</sub> from Drell-Yan production of e+e-**
  - Initial studies of parity-violating asymmetries in W production
- 2005 ® Measurement of parity-violating asymmetries in W production (quark and anti-quark contribution to proton spin)



- 2001 Running in STAR at RHIC
  - Au + Au at top energy
  - Polarized p + p (single transverse and single longitudinal polarization)
    - · also serves as RHI reference data
  - Possible beam/energy changes
- Additional AA physics beyond Year 1
  - charged hadrons at low p, (with SVT)
  - multiply-strange baryon (X, W) yields & slopes (with SVT)
  - increased statistics for strange particles (increased efficiency with SVT)
  - p° identification, yields, slopes (with EMC)
  - understand high p, triggering (with EMC)
  - transverse energy measurements (with EMC)
  - measurements of charged hadrons and strange particles at forward rapidities (with FTPCs)
  - increased coverage for event-by-event physics (with FTPCs)
    (flow, correlations, fluctuations, dimensional analysis)
  - reference data using p + p for soft and hard hadron physics
- Polarized pp physics
  - A<sub>N</sub> (with transverse spin)
  - calibration of systematics (with longitudinal spin)



- 2002 Running in STAR at RHIC
  - Beam/energy changes
  - Longitudinally polarized p + p (also use as RHI reference data)
  - Au + Au at top energy
- Additional AA physics beyond Year 2 (beam/energy scan)
  - flow
  - particle correlations
  - event-by-event fluctuations (inc: charge, DCC, p, , ...; P, CP violations)
  - charged hadrons at low p,
  - strange and multiply-strange baryon (X, W) yields & slopes
  - pº identification, yields, slopes
  - understand J/y triggering (with L3)
  - transverse energy measurements
  - flow, correlations, fluctuations, dimensional analysis
- Polarized pp physics beyond Spin Year 1
  - DG(x) from A<sub>LL</sub> measurements of inclusive jet and dijet production

# STAR

- 2003 Running in STAR at RHIC
  - Au + Au at top energy
  - Longitudinally polarized p + p (at 200 GeV and 500 GeV)
  - p + Au at top energy
- Additional AA physics beyond Year 3
  - multiply-strange baryon (X, W) yields & slopes (with SDD + SSD)
  - K° K° correlations, LL correlations
  - higher statistics for light anti-nuclei (triggered)
  - J/y ® e+e- study with Au + Au at top energy
  - f ® e+e-
  - transverse energy measurements
  - measurements relative to flow plane
  - High Pt correlations
  - fluctuations
  - studies of special event classes
  - reference data using p + p for soft and hard hadron physics
- pA physics (p + Au)
  - nuclear structure functions/shadowing (g-jet)
  - jets, direct photons
  - J/y ® e+e-
- Polarized pp physics beyond Spin Year 2
  - DG(x) from  $A_{LL}$  measurements of direct photons
  - DG(x) and Dq(x) from measurements of dijet production
  - Feasibility study of e+e- Drell-Yan production
  - Higher energy tests of signal and background rates for parity-violating asymmetries in W production



- 2004 Running in STAR at RHIC
  - lighter ion at top energy
  - Longitudinally polarized p + p (at 200 GeV and 500 GeV)
  - p + Cu (?) at top energy
  - Au + Au (?) at top energy
- Additional AA physics beyond Year 4
  - multiply-strange baryon (X, W) yields & slopes (with SDD + SSD)
  - K° K° correlations, LL correlations
  - higher statistics for light anti-nuclei (triggered)
  - J/y and f studies with lighter ion or less central Au + Au at top energy
  - transverse energy measurements
  - measurements relative to flow plane
  - High Pt correlations
  - fluctuations
  - studies of special event classes
  - reference data using p + p for soft and hard hadron physics
- pA physics (p + Cu?)
  - nuclear structure functions/shadowing (g-jet)
  - jets, direct photons
  - J/y ® e+e-
- Polarized pp physics beyond Spin Year 3
  - A<sub>11</sub> measurements of g-jet coincidences
  - A<sub>LL</sub> measurements for Drell-Yan production of e+e-
  - Measurement of parity-violating asymmetries in W production

### **STAR Data Acqusition for 2001**

•  $\ddot{0}$ s<sub>nn</sub> = 200 GeV Au + Au

•  $\ddot{0}$ s<sub>nn</sub> = 200 GeV single transverse and longitudinally polarized p + p

• lower  $\ddot{0}$ s<sub>nn</sub> Au + Au or another system at  $\ddot{0}$ s<sub>nn</sub> = 200 GeV

#### **STAR Data Acqusition for 2002**

• lower  $\ddot{0}$ s<sub>nn</sub> Au + Au and/or other systems at  $\ddot{0}$ s<sub>nn</sub> = 200 GeV

•  $\ddot{0}$ s<sub>nn</sub> = 200 GeV longitudinally polarized p + p

•  $\ddot{0}$ s<sub>nn</sub> = 200 GeV Au + Au (some)

### **STAR Data Acqusition for 2003**

•  $\ddot{0}$ s<sub>nn</sub> = 200 GeV Au + Au (mostly)

•  $\ddot{0}$ s<sub>nn</sub> = 200 GeV longitudinally polarized p + p at  $\ddot{0}$ s = 200 and 500 GeV

•  $\ddot{0}$ s<sub>nn</sub> = 200 GeV p + Au

### **STAR Data Acqusition for 2004**

•  $\ddot{0}$ s<sub>nn</sub> = 200 GeV lighter ion or Au + Au (mostly)

•  $\ddot{0}$ s<sub>nn</sub> = 200 GeV longitudinally polarized p + p at  $\ddot{0}$ s = 200 and 500 GeV

•  $\ddot{0}$ s<sub>nn</sub> = 200 GeV p + Cu (?)

•possibly lower  $\ddot{0}$ s<sub>nn</sub> Au + Au or another system at  $\ddot{0}$ s<sub>nn</sub> = 200 GeV

#### **STAR Data Acqusition for 2005**

•  $\ddot{0}$ s<sub>nn</sub> = 200 GeV Au + Au or lighter system (mostly)

•  $\ddot{0}$ s<sub>nn</sub> = 200 GeV longitudinally polarized p + p at  $\ddot{0}$ s = 200 and 500 GeV

•  $\ddot{0}$ s<sub>nn</sub> = 200 GeV p + A(?)

# Summary - Timelines for Completing STAR Baseline Physics

```
Successful data-taking in 2000
```

Adding detectors over the next three years to complete original concept of STAR

SVT, FTPC, TOF-patch, higher level triggers, DAQ rate, SSD, PMD, EMC, EEMC, TOF

RHI Physics (AA plus reference data using pp)

Soft  $(p_t < 2 \text{ GeV/c})$  Physics (2000 - 2004)

High p, Physics (2000 - 2005)

**"electrons" (2003** ®)

•  $f \otimes e + e -$ ,  $J/y \otimes e + e -$ 

**pA physics (2003** ®)

- nuclear structure functions/shadowing (g-jet)
- jets, direct photons, J/y ® e+e-

**Photon/Pomeron Physics (ultra-peripheral AA)** 

Two-photon and photon-pomeron physics (2000 - 2003)

states with mass < 2 GeV</li>

Higher mass states (2003 ®)

- electron decays of higher charm states
- final states containing photons
- higher mass strange decays

#### **Spin physics (2001 ® 2005)**

**2001** ® **A**<sub>N</sub> (with transverse spin)

2002 ® DG(x) from A<sub>11</sub> from inclusive jet and dijet production

2003 ® DG(x) from A<sub>LL</sub> from direct photons DG(x) and Dq(x) from dijet production Higher energy - tests of parity-violating asymmetries in W production

2004 ® A<sub>LL</sub> from g-jet coincidences

**A<sub>LL</sub> from Drell-Yan production of e+e-**

2005 ® Measurement of parity-violating asymmetries in W production (quark and anti-quark contribution to proton spin)